
Vehicle Weigh-in-Motion (WIM)
Solutions for Weigh Stations,
Enforcement and More



**Proven Weighing Reliability and Ease of Use for High Volume
Commercial Vehicle Weight Enforcement Applications**

METTLER TOLEDO



For more than 15 years, **METTLER TOLEDO**, the world's largest manufacturer of weighing systems, has offered solutions for commercial vehicle weight enforcement and screening, data collection for transportation planning, industrial applications, and more. Installed across the U.S. and around the world, **METTLER TOLEDO's** fixed facility weigh station solutions and virtual weigh station solutions continue to prove their operational reliability and accuracy in high volume applications.

Combined with **METTLER TOLEDO's** comprehensive project management and after-sales support, our WIM systems offer the reliability, accuracy, cost effectiveness and ease of use for which **METTLER TOLEDO's** weighing solutions have long been known.

Load Cell-Based WIM Systems

METTLER TOLEDO's WIM solutions are based on load cell technology (strain gauge).

As a vehicle passes over the scale, the system records the weights measured by each platform and adds them together to obtain the axle weight. The scale is placed in the travel lane perpendicular to the direction of traffic.

Load cell type WIM scales are regularly used in weigh station ramp presorting systems, for data collection systems, and for industrial weighing. Load cell scales typically require permanent installations with some minor excavation into the road.



METTLER TOLEDO's load cell-based WIM solutions:


- Use the most accurate vehicle weighing technology available today.
- Measure vehicle speed, thereby eliminating the need for axle sensors.
- Measure individual wheel loads and detect wheel load imbalances.

Fixed Facility Weigh Station Solutions

For fixed facility weigh stations, METTLER TOLEDO provides Weigh-in-Motion (WIM) systems, static scales, and peripheral equipment such as over height detectors, directional signals, variable message signs, AVI interface, and vehicle classification equipment.

How Fixed Facility WIM Systems Work

The WIM scale and controller system directs suspected overweight vehicles to the static scale, with the ability to process thousands of vehicles per day, error free, around the clock. Overweight vehicle citations are processed quickly and accurately using the full platform or axle static scale.




Fixed Facility WIM System Benefits

- Safely, efficiently and accurately weighs thousands of vehicles per day with legal-for-trade accuracies.
- Minimal operator intervention is required because of the system's fully automatic operation.
- Ability to combine the weighing operation with other commercial vehicle safety and compliance checks at one facility.
- Ability to network multiple facilities into a statewide data network.

Ramp/Mainline WIM Scale

- Staggered platform configuration eliminates need for costly, maintenance intensive axle sensors.
- 8 load cells per system results in superior weighing accuracy, even if the vehicle drives across scale off-center, at speeds up to 80 mph.
- Auto-calibration via static scale interface eliminates the need for costly regular calibration.
- Rugged construction ensures reliable operation and long life.
- Designed to comply with ASTM 1318-02 requirements.
- Stainless steel, hermetically sealed load cells provide ultimate corrosion protection, even in salt prone environments.
- Stainless steel sheathed load cell cables provide an extra level of lightning protection.



Static Scale

Static Scale at Operator Station



- Extreme duty weighbridge construction designed for high traffic loads and harsh conditions.
- METTLER TOLEDO DigiTOL® load cell technology for fast, error-free operation, superb lightning protection, and easy maintenance.
- METTLER TOLEDO JAGXTREME terminal, the industry's most advanced, provides high reliability and maximum user flexibility.
- Operator Interface (including graphics panel for operator control and identification of vehicle location).
- Robust, user-configurable software that provides:
 - Instant weight, size, and other violation notification.
 - Single screen reporting of static and WIM data.
 - Simple, one touch control of traffic signs.
 - Multiple reporting options including vehicle type classification, daily reports, monthly reports, summary violation reports, and WIM accuracy reports.
 - Interface to AVI, cameras, dimensioning, and other peripheral equipment.
 - Monitoring of vehicle traffic including notification of vehicle backups with automatic traffic control.
 - Remote reporting and diagnostics via modem, RS 422/485, or fiber optic link.
 - CVISN compatible.



Peripheral Devices

- AVI (Automatic Vehicle Identification) on mainline
- Overheight detector at ramp WIM
- Sort signs and variable message signs for traffic control
- Inductive loops for vehicle tracking





Project Management Support

METTLER TOLEDO's comprehensive on-site support helps ensure a smooth, timely project installation and start up. Services include:

- Engineering assistance
- Construction management
- System start-up
- Operator training

After Sales Support

METTLER TOLEDO's extensive network of trained service technicians, along with a comprehensive warranty, helps ensure maximum system uptime and low operating costs. Maintenance contracts are also offered, providing you with years of trouble-free weighing operations.

Global Availability and Support

Mettler Toledo has offices in 37 countries around the World, with over 1000 certified technicians able to meet your local needs, quickly and competently.

Other WIM Solutions

Mettler Toledo also provides WIM solutions for other vehicle weighing applications such as border crossings, toll roads & bridges, seaports, and trucking terminals.



	TEL	FAX		TEL	FAX	
METTLER TOLEDO	Australia (61-3) 9644 5700	(61-3) 9645 3935	Korea (82-2) 518-2004	(82-2) 518-0813		Internet
	Austria (43-1) 604 1980	(43-1) 604 2880	Malaysia (60-3) 7041773	(60-3) 7031772		www.mt.com
USA	Belgium (32-2) 334 0211	(32-2) 378 1665	Mexico (52-5) 547 5700	(52-5) 541 2228		Specifications and other information subject to change without notice
1900 Polaris Parkway	Brazil (55-11) 4166-7400	(55-11) 4166-7401	Netherlands (31-344) 638363	(31-344) 638390		© 2003 Mettler-Toledo, Inc.
Columbus, Ohio 43240	Canada (800) 638-8537	(905) 681-8036	Norway (47-22) 30 44 90	(47-22) 32 70 02		METTLER TOLEDO® is a registered trademark of Mettler-Toledo, Inc. All other brand or product names are trademarks of their respective companies
TEL. (800) 523-5123	China (88-519) 664-2040	(88-519) 664 1991	Poland (48-22) 651 9232	(48-22) 651-7172		Printed in USA.
(614) 438-4511	Croatia (358-1) 29 58 130	(358-1) 23 58 140	Russia (7-095) 921 9211	(7-095) 921-6353		O2M0103
FAX (614) 438-4900	Czech Republic (420-2) 721-23450	(420-2) 721-22170	Singapore (65) 8900011	(65) 8900012		WIM033950E
	Denmark (45-43) 27 08 00	(45-43) 27 08 28	Slovak Republic (421-7) 43 42 74 96	(421-7) 43 33 71 90		
Latin America	France (33-1) 30 97 17 17	(33-1) 30 97 16 16	Slovenia (386-61) 162 1801	(386-61) 162 1789*		
TEL. (01) 305-351-2424	Germany (49-641) 50 70	(49-641) 52951	Spain (34-93) 223 2222	(34-93) 223 0271		
FAX (01) 305-351-2425	Hungary (36-1) 257 9889	(36-1) 256 2175	Sweden (46-8) 702 50 00	(46-8) 642 45 62		
	India (91-22) 857-0808	(91-22) 857-5071	Switzerland (41-1) 944 45 45	(41-1) 944 45 10		
Headquarters	Italy (39-02) 333321	(39-02) 356-2973	Taiwan (886-2) 2579-5955	(886-2) 2579-5977		
8606 Greifensee	Japan (81-6) 6949-5901	(81-6) 6949-5944	Thailand (66-2) 719 6480	(66-2) 719 6479		
Switzerland	Kazakhstan (7-3272) 50 63 69	(7-3272) 98 08 35	United Kingdom (44-116) 235 7070	(44-116) 236 6399		
TEL. (41-1) 944 22 11						
FAX (41-1) 944 30 60						